



20  
YEARS

SPECIALIST  
BATHING  
EXPERIENCE

easibathe®

## Product & Service Guide



# Contents

Bathing made easy	3
Easifloor wet floor formers	4
Easifloor gully wastes	5
Easitrim	6
Shower trays	7
Pumped waste kits	8
Thermostatic care showers	9
Shower seats	10-11
Shower screens	12-14
Shower cubicles	15
Shower curtains & curtain rails	16
Support rails & grab rails	17
Sanitaryware	18-19
Chinaware & accessories	20
Closomat wash & dry toilet	21
Safety flooring & wall boards	22
What's good about us	23

**FREEPHONE: 0800 321 7430**

T: 0191 460 2777

E: [info@easibathe.com](mailto:info@easibathe.com)

[www.easibathe.com](http://www.easibathe.com)

  
**easibathe<sup>®</sup>**



# Bathing made easy

Easibathe has over 20 years' experience in specialist bathing adaptations and guarantees outstanding service.



Working closely with healthcare professionals, local authorities, housing associations, contractors and private clients, Easibathe understands the need for excellent customer service and product quality.

The Easibathe team is highly experienced and offers a wide range of technical and after-sales support. We are sure you will find what you are looking for, however if you cannot locate the required equipment within this brochure, please contact our customer care team who will be more than happy to help.

Alternatively, visit our trade counter and bathing assessment area where a wide variety of products are available to view.

Orders can be placed and paid by phone, via email or through our website, and a free local delivery service is available within the northeast area. Please ask for details and delivery days when placing your order.




# Easifloor wet floor formers

Easifloor is Easibathe's own level access wet floor former which provides the ultimate solution in unrestricted level access showering. Designed to create wet floor areas and wet rooms, the Easifloor range is ideal for domestic and commercial properties.


## Key Features

- Suitable on timber, concrete or floating floors
- Offset waste position to avoid joists and pipe work
- Can be used in conjunction with a pumped waste
- Trimmable edge of 50mm
- 40 stone / 254kg weight limit
- Tiled option is available




### EFR1

Size	Depth	Weight
1300 x 820mm	22mm	16.5kgs



### EFR2

Size	Depth	Weight
1000 x 1000mm	22mm	14.8kgs




### EFR3

Size	Depth	Weight
1500 x 820mm	22mm	19.4kgs

Also available in these sizes:

**1087** - 1200 x 1200mm, **1060** - 900 x 900mm  
& **1061** - 800 x 800mm



### EFR4

Size	Depth	Weight
1200 x 1200mm	22mm	21kgs

For technical specifications please contact the Easibathe sales team.

# Easifloor gully wastes

The pre-drilled Easifloor gully has been designed to suit both gravity and pumped waste installations and can be used in conjunction with most other manufacturers floor formers.



## EASIFLOOR GULLY WASTE TOP: EFG2

Purchase with pump kit 2723 or 2703 to achieve a pumped wet floor waste system. See page 8 for more details.

Code	Description
EFG2	Gully waste top
EFG2/T	Gully waste & STW2 trap



## EASIFLOOR GULLY WASTE & TRAP: EFG2/T

The Easifloor gully waste comes complete with McAlpine STW2 waste to achieve a gravity waste system.



## TILED GULLY WASTES

An Easifloor former that can be tiled upon is available using a tanking system & chrome tile gully. These are available for gravity or pumped waste systems.

Code	Description
2804	Chrome square tile gully
2806	Chrome square pumped tile gully
5083	Tanking system



# Easitrim

Easitrim is a 2-piece pre-formed floor to wall profile which provides a seamless modern finish between floor & wall coverings. It is made from ABS with an antibacterial additive and comes in lengths of 2m.

Designed to be used in conjunction with wall boards or some wall tiles, Easitrim is very easy to handle and extremely simple to install.


By employing the use of Easitrim, installers save time and money. Once the wet floor former is installed, the main skirt of the Easitrim can be secured into position. Your choice of wall covering is then attached to the wall and inserted into the top of the Easitrim.

Cove former is laid between the floor and the Easitrim skirt, followed by your choice of specialist flooring. Once the flooring is secured up to the Easitrim extrusion lip, the T piece is then inserted and your Easitrim installation is complete.

See breakdown drawing below or you can view our installation video on our website, or search for Easibathe on YouTube.

## EASITRIM

Code	Description	Length
5080	Easitrim main skirt	2m
5081	Easitrim T piece	2m



For technical specifications please contact the Easibathe sales team.

# Shower trays

Shower trays are available in a variety of types and sizes and offer an alternative to a level access wet room installation. Shower trays can either be surface mounted or recessed. They are available to suit various floor types, carry a load bearing capacity of more than 30 stones (190kg) and have a slip resistant tread for extra safety.

If you would like to replace an existing bath with a shower tray of the same or similar size, a bath replacement tray is ideal and can be cut to the required size.

Whatever your requirements, there is a tray to suit your individual needs.

## SHOWER TRAYS

Code	Description	
1017	4-sided tray 925 x 925mm	Universal corner waste
1018	4-sided tray 1000 x 720mm	Left hand waste
1019	4-sided tray 1000 x 720mm	Right hand waste
1030	4-sided tray 1200 x 800mm	Universal waste
1032	4-sided tray 1200 x 880mm	Universal waste
1039L	4-sided tray 1290 x 720mm	Left hand waste
1039R	4-sided tray 1290 x 720mm	Right hand waste
1065	4-sided tray 1500 x 700mm	Universal waste
1066	4-sided tray 1400 x 800mm	Universal waste
1067	Bath replacement tray 1800 x 800mm	Universal waste
1068	Bath replacement tray 1800 x 700mm	Universal waste

## GRAVITY WASTE

2803	STW2 waste
2800	STW1 waste

## FOR PUMPED WASTE

2723	Instant match kit
2703	Auto pump kit (cold water flow switch)



# Pumped waste kits

Gravity drainage is not always an option or achievable when carrying out a shower installation. Whale pumps are a proven solution for waste water removal. The Whale pump range has been designed to perform well in a variety of shower installations, from shower cubicles to wet floors.

## Key Features

- Robust performance – hair, gels and shower waste can pass through the pump without blocking
- Maintenance free – no pump filter is required, therefore no internal cleaning is necessary
- Practical design – valves integral to the pump prevent odours escaping into the bathroom from the waste pipe
- Reliable performance – proven reliability and quiet performance, complete with a 5-year warranty



## 2723: DIGITAL / INSTANT MATCH KIT

Includes:

- Pump
- Transformer
- Standard tray waste
- Waste cover
- Reducers

This pump eliminates the need for flow switches & links directly to the shower. Once the shower starts to run it sends a signal to the pump to start running. Designed to work in conjunction with a range of digital showers.

If you require this pump to work with a wet floor former, please purchase EFG2 – Easifloor gully top (see page 5).




## 2703: AUTOMATIC PUMP KIT

Includes:

- Pump (flow switch included)
- Transformer
- Standard tray waste
- Waste cover
- Flow switch
- Reducers

The automatic pump kit operates via a flow switch which is fitted to the cold feed of the shower. Once the flow switch detects the flow of water it sends a signal to the pump to activate. For mixer showers an additional flow switch will be required.



## 2704: FLOW SWITCH

If you require this pump to work with a wet floor former, please purchase EFG2 – Easifloor gully top (see page 5).

## SPARES & ACCESSORIES

A range of spares & accessories are available for both pump kits.



# Thermostatic care showers

We supply a range of thermostatically controlled electric and mixer care showers.

Care showers come with an extended rail and shower hose and ergonomically designed controls.



## ELECTRIC SHOWERS

Electric showers take water from the mains cold water supply & heat it by passing over a built-in heating element. Electric showers are ideal for households where there is a limited supply of hot water.

The Triton Omnicare can be used with a standard gravity waste system or link directly to the pump (see 2723 on page 7) for a quiet & efficient pumped waste system.

Code	Description
2901	Triton Omnicare Design 8.5kw
2902	Triton Omnicare Design 9.5kw
29000	Triton Elina TMV3 Mixer

## MIXER SHOWERS

Mixer showers take water from both the hot & cold water supplies & are thermostatically controlled. They mix the water to reach the desired temperature & generally flow faster than electric showers.

If a pumped waste is required, use with pump kit 2703 with an additional flow switch 2704. Both can be viewed on page 7.

## SPARES & ACCESSORIES

A range of spares & accessories are available for our shower range.

# Shower seats

The Easibathe range of shower seats are designed to add comfort to any shower area. Finished to a high standard, they are functional, safe and stylish. They are designed to be mounted on to a solid or reinforced wall within a wet floor area, shower cubicle or enclosure.

## Key Features

- Made from aluminium with a durable white powder coated finish
- Wall mounted with fully independent load bearing arms
- Drainage holes to reduce water retention, and removeable pads to aid cleaning
- Adjustable support legs for increased height and stability
- Tested to 40 stone (254kg)
- Quality tested to comply with BS:EN12182:2012 and MDA Alert MDA/2003/029



**EB1-GR: FIXED FOLDING SEAT WITH ARMS & BACKREST**

Seat width 460mm	Max height 560mm
Seat depth 325mm	Projection 460mm
Min height 440mm	Weight limit 40st (254kg)



**EB1-700GR: EXTRA WIDE FIXED FOLDING SHOWER SEAT WITH ARMS & BACKREST**

Seat width 615mm	Max height 560mm
Seat depth 400mm	Projection 460mm
Min height 440mm	Weight limit 40st (254kg)

Fixings not included with any of the above shower seats.



## Shower seats continued



**EB2-GR: FIXED FOLDING SHOWER SEAT**

Seat width 460mm	Max height 560mm
Seat depth 325mm	Projection 460mm
Min height 440mm	Weight limit 40st (254kg)



**EB745HS-BL: HORSESHOE FIXED FOLDING SHOWER SEAT**

Seat width 455mm	Max height 580mm
Seat depth 400mm	Projection 580mm
Min height 460mm	Weight limit 40st (254kg)



**EB2-700GR: EXTRA WIDE FIXED FOLDING SHOWER SEAT**

Seat width 615mm	Max height 560mm
Seat depth 400mm	Projection 580mm
Min height 440mm	Weight limit 40st (254kg)



**EB746HS-GR: HORSESHOE FIXED FOLDING SHOWER SEAT WITH ARMS & BACKREST**


Seat width 455mm	Max height 580mm
Seat depth 400mm	Projection 580mm
Min height 460mm	Weight limit 40st (254kg)




# Shower screens

A wide range of shower screens to suit all bathroom sizes, styles and budgets are available. Designed for both independent and care assisted showering.


- Made from powder coated aluminium available in both white and satin silver finish
- 750mm high as standard, however some set ups are available full height (1800mm)
- Available as fixed panel and post only
- Portable carer screens available in 4 sizes



**20261/C: 2 WALL INSTALLATION - TBF SCREENS**




**2017/C: 3 WALL INSTALLATION - SD SCREENS**



**20381/C: 2 WALL INSTALLATION - TBF-L-OPL-LH SCREENS**



**2019/C: 3 WALL INSTALLATION - DBF SCREENS**



**20431/C: 2 WALL INSTALLATION - TBF-R-OPL-RH SCREENS**


Bespoke screen configurations may be available; please contact our sales team with any enquiries.

## Shower screens continued


Shower screens complete with fixed panel and posts.

Fixed panels compliment a screen set by helping to protect fixed items such as a toilet or wash hand basin. These are available from 300mm up to 1200mm and are supplied with a floor to ceiling post to provide extra stability and support.


Additional fixed panels can be supplied if required at an extra cost, please enquire with our sales team.




**2116/C: 2 WALL INSTALLATION - FIXED PANEL/ POST & TBF SCREENS**



**2114/C: 3 WALL INSTALLATION - FIXED PANEL/ POST & SD SCREENS**



**2125/C: 2 WALL INSTALLATION - FIXED PANEL/ POST & TBF/OPL SCREENS**



**2115/C: 3 WALL INSTALLATION - FIXED PANEL/ POST & DBF SCREENS**



**2103: FIXED PANEL & POST ONLY, AVAILABLE FULL HEIGHT**

## Shower screens continued



### PORTABLE CARER SCREENS

Portable carer screens are ideal for care assisted showering where fixed shower screens are not possible or preferred. All screens have four panels allowing for easy folding & storage & come complete with carry handles.

Code	Length	Weight
<b>2100</b>	1400mm overall	8kg
<b>2101</b>	1600mm overall	9kgs
<b>2102</b>	1800mm overall	10kgs
<b>2104</b>	2000mm overall	11kgs



### EVO SHOWER SCREENS

Elegance & style is certainly not compromised when using EVO products to adapt bathrooms. The award-winning range combines style & quality to give a fresh & aesthetically pleasing choice of luxury shower screens.

EVO designs have created an elegant & contemporary range of screens to help create a beautiful bathroom to suit every need. Choose between satin silver or white finish frames & glass or polycarbonate panels.



For further information on EVO screens, please contact a member of the sales team.



# Shower cubicles

## SHOWER CUBICLES

Shower cubicles are freestanding allowing them to be installed in almost any room. This is an excellent solution for people who are not able to reach a first floor bathroom or who prefer all their amenities in one place. Cubicles are made from durable impact resistant polypropylene panels with powder coated aluminium frames, mounted onto glass reinforced plastic shower trays.

Available with saloon or double bi-fold doors as standard or as corner entry models, complete with tray, screens, roof, grab rail, curtain & rail.

Code	Description	Size
<b>90031</b>	EB1030	1200 x 800mm
<b>90002</b>	EB1032	1200 x 880mm

Bespoke configurations may be available; please contact our sales team with any enquiries.



## SHOWER LOO CUBICLES

Shower loo cubicles provide an all-inclusive solution comprising of the same equipment as a standard shower cubicle, with the addition of a shower loo conversion kit.

Includes:

- Ducted cistern with extended lever
- Low level or wall hung (with steel support frame) toilet
- Heavy-duty toilet seat
- Wash basin with lever taps & waste

Available with saloon door or double bi-fold doors as standard, or as a corner entry model.

Code	Description
<b>4500</b>	Low level shower loo kit
<b>4501</b>	Wall hung shower loo kit

Our EB1030 & EB1032 cubicles are also available as shower loo models.



## SHOWER LOO CUBICLES ACCESSORIES

Various shower models (see page 9).

Pumped & gravity waste systems (see pages 7 & 8).

Shower seats (see page 11).

Code	Description
<b>9005</b>	Cubicle shelving unit
<b>6183</b>	Environment extractor fan
<b>6190</b>	Cubicle light kit
<b>3097</b>	Replacement hooks & glides for cubicle curtain rail



# Shower curtains & curtain rails

## SHOWER CURTAINS

Manufactured from 100% white polyester, our weighted shower curtains come in a range of sizes. Custom made curtains are also available at an additional charge.

Code	Size – width x length
3000	1800 x 1800mm
3001	1800 x 2000mm
3002	1800 x 2200mm
3003	2200 x 1800mm
3004	2200 x 2000mm
3005	2200 x 2200mm
3006	3000 x 1800mm
30071	3000 x 2000mm
3008	3000 x 2200mm
3009	2000 x 1800mm
3010	2000 x 2000mm
3011	2000 x 2200mm
3012	2500 x 1800mm
3013	2500 x 2000mm
3014	2500 x 2200mm
3015	3200 x 1800mm
3016	3200 x 2000mm
3017	3200 x 2200mm

## FLEXIBLE CURTAIN RAILS

Made from white powder coated aluminium, flexi rails can be bent to suit any shape.

Complete with hooks & glides plus two 600mm (2ft) ceiling support rods.

Code	Size
3115	2.5m flexi rail
3117	3.5m flexi rail
<b>Accessories</b>	
3113	600mm (2ft) ceiling support rod
3121	1200mm (4ft) ceiling support rod
3112	Hooks & glides



## STRAIGHT & L SHAPED CURTAIN RAILS

Made from white powder coated aluminium.

All come with discs & glides.

L shaped rails come complete with a 600mm ceiling support rod.

Code	Size
3100	915mm straight rail
3102	1830mm straight rail
3103	2135mm straight rail
3104	2435mm straight rail
3106	915 x 915mm L rail
3107	1200 x 1200mm L rail
3108	1830 x 760mm L rail
3109	1830 x 915mm L rail
3110	1830 x 1000 L rail

### Accessories

3096	Pack 24 discs & glides
3098	600mm (2ft) ceiling support rod
3099	1200mm (4ft) ceiling support rod



# Support rails & grab rails

## POLISHED STAINLESS STEEL RAILS

To create a more contemporary look for your bathroom or shower area, polished stainless-steel rails add that extra special feature & help to create a more stylish & aesthetically pleasing finish.

Code	Size
3425	300mm
3426	450mm
3427	600mm
3428	900mm
3432	300mm EVO rail
3433	450mm EVO rail
3434	600mm EVO rail



## FOLDING SUPPORT RAILS

Fold down rails provide an additional support in a toilet or bathroom location. Available with or without a supporting leg & in white or polished stainless steel, they can be folded against the wall when not in use.

Code	Size / description
3423	800mm folding support rail without leg - white
3423S	800mm folding support rail without leg - stainless steel
3424	800mm folding support rail complete with leg - white
3424S	800mm folding support rails complete with leg - stainless steel



## PLASTIC GRAB RAILS

Made from ABS with an antibacterial additive, concealed fixing rings and available in 3 different sizes. These rails are available in white only.

Code	Size
3429	300mm
3430	450mm
3431	600mm





# Sanitaryware

Here at Easibathe, we have over 20 years' experience in installing sanitaryware. Quality form and function have always been very important when selecting our products. We have a variety of options that are quick and easy to install. All are on display in our showroom.

## COMFORT HEIGHT PANS & PAN PACKS

Code	Description	Height
4422	Close coupled pan pack with push button cistern, complete with soft close heavy-duty toilet seat & comfort height level toilet	485mm
4427	Close coupled pan pack with push button cistern, lever flush, complete with soft close heavy-duty toilet seat & comfort height toilet	460mm
4417	Comfort height low level toilet	460mm



# Sanitaryware continued



## STANDARD TOILETS & ACCESSORIES

Code	Description
<b>4439</b>	Close coupled pan pack complete with close coupled toilet, lever flush cistern & lightweight toilet seat

### Accessories

<b>4408</b>	Low level toilet
<b>4421</b>	Standard toilet seat complete with stainless steel hinges
<b>4073</b>	Low level cistern (use with 4408 & 4417)
<b>4423</b>	iCare heavy-duty soft close toilet seat
<b>4215</b>	Enable cistern spoon handle

## TOILET PLINTHS

Close coupled pan pack complete with close coupled toilet, lever flush cistern & lightweight toilet seat.

Code	Description
<b>3600</b>	100mm universal plinth
<b>3602</b>	50mm universal plinth
<b>3610</b>	75mm universal plinth

For technical specifications on all chinaware products & accessories please contact a member of our sales team.



Carriage restrictions & applicable charges may apply to orders of sanitaryware.

# Chinaware & accessories



## WASH HAND BASIN PACKS

Available in 2 sizes 450mm & 500mm – either wall hung or complete with pedestal.

Wall hung packs include:

- Wash hand basin, lever taps, plug waste & chain, bottle trap & fischer fixings.

Pedestal packs include:

- Wash hand basin, lever taps, plug waste & chain, bottle trap & full pedestal.

Code	Description
4502	500mm Pedestal pack
4503	500mm Wall hung pack
4504	450mm Pedestal pack
4505	450mm Wall hung pack

Wash hand basins available as two-tap hole versions only.

## LEVER TAPS

We can supply a full range of WRAS approved taps to suit most wash hand basins, baths or kitchen sinks. All are available with ¼ turn 75mm (3") lever heads as standard.

Code	Description
3500	High neck sink taps
3501	Basin taps
3502	Bath taps
3503	Sink deck mixer
3504	Monobloc sink mixer
3505	Bath filler mixer
3506	Bath shower mixer
3507	Monobloc basin mixer
3894	15mm TMV3 blending valve
3895	22mm TMV3 blending valve



# Closomat wash & dry toilet

## CLOSOMAT PALMA VITA TOILET

The Closomat Palma Vita automatic toilet provides flushing, washing & warm air drying from one simple operation. It is the ideal choice for people with limited dexterity & by reducing hand contact it provides improved hygiene for all users.

Code	Description
9004	<ul style="list-style-type: none"><li>• Simultaneous flushing &amp; washing</li><li>• Improved hygiene control</li><li>• Can be used as a conventional toilet</li><li>• Combines toilet &amp; bidet functions with air drying</li><li>• Unique one touch system</li><li>• Can be customised with accessories</li><li>• Maximum load 30 stone (190kgs)</li></ul>


When ordering a Closomat, we ask for the client's full address & contact details. This is for commissioning & servicing purposes.

### Accessories & extras

3606PV	100mm plinth
3607PV	50mm plinth
90032	Touch sensitive switch
90037	Integrated folding arms
90038	Big John seat



# Flooring & wall boards



## FLOORING

When installing a wet room or shower tray it is essential that appropriate specialist floor coverings are used to ensure the floor remains slip resistant when wet.

Available in a variety of ranges & colours, slip resistant safety flooring is a modern solution ensuring high standards of safety & hygiene.

A seamless finish to your bathroom will be achieved when used in conjunction with Easitrim & your choice of wall boards or tiles.

### Safety Flooring Ranges

- Polysafe Hydro
- Polysafe Hydro Evolve
- Polysafe Quattro
- Polysafe Standard
- Safetread Universal
- Altro T20
- Altro Aquarius
- Altro Pisces

Flooring width = 2m

For a list of available flooring & sample cards please contact a member of our sales team.



## WALL BOARDS

Wall boards offer a fresh & modern look to a shower enclosure or bathroom.

Available in a wide range of colours, styles & textures with complimentary profiles & trims, wall board installations are stylish, hygienic & aesthetically pleasing.

Use in conjunction with Easitrim to achieve a professional finish.

Available in:

- 600mm, 900mm & 1200mm widths
- 2400mm height
- Standard square edge or Tongue & Groove finishes

### Trim Range

Available in:

- Black
- White
- Satin silver
- Polished chrome

Trim range consists of:

- Internal corner
- External corner
- Joint trim
- End trim

For a separate brochure showing the full range of wall boards, please contact a member of our sales team.

# What's good about us...



OUTSTANDING  
SERVICE  
GUARANTEED

- Opening hours 08:00 – 16:30 every weekday
- A fully staffed trade counter where you will find everything you need to complete your perfect installation. In addition, we offer a 'one stop shop' service where you can purchase plumbing, tiling and electrical items
- Comprehensive returns policy - please call our customer service team for terms and conditions
- Minimum 12 months guarantee on all products
- Pricing and PDF brochure available on request
- Free of charge local delivery service and next day delivery available on all orders placed before 2pm
- Account facility - our customer care team will talk you through the process and send out an application form
- 20 years' experience, specialising in adaptation
- A fully fitted demonstration area, where customers and occupational therapists can try out our equipment
- A full design service utilising Easiplan software to visualise your perfect bathroom
- A full installation service available within the North East area which includes free home visit and survey
- Frequent special offers - visit our website, Facebook or Twitter for more information

**FREEPHONE: 0800 321 7430**

T: 0191 460 2777

E: [info@easibathe.com](mailto:info@easibathe.com)

[www.easibathe.com](http://www.easibathe.com)

  
**easibathe<sup>®</sup>**





**Easibathe Limited** Independence House, Federation Way  
Lancaster Road, Dunston, Tyne and Wear, NE11 9JR

**FREEPHONE: 0800 321 7430**

T: 0191 460 2777

E: [info@easibathe.com](mailto:info@easibathe.com)

© EASIBATHE - 2018 EDITION

Whilst every effort has been made to ensure all details, illustrations and specifications contained within this brochure are correct at the time of going to press, Easibathe cannot be held responsible for any discrepancies that may occur. We reserve the right to alter such information without notice. E&OE.

